Technical Specifications

Technical Specifications DC10/60Pro

Dimensions (D \times W \times H):	750mm x 630mm x 1972mm	Max speed:	9,000 sets/hr A4 LEF direction
Weight:	290 Kg	No of stations per tower:	10
Power Supply:	220/240V 50/60Hz 4.5A	Bin capacity:	65 mm
Min Paper size:	120mm(W) x 148mm (L)*	Maximum no of connectable towers	6
Max paper size:	356mm(W) x 508mm(L)**	Counters:	Total/Batch/Rejected set
Min paper weight:	52gsm		,
Max paper weight:	300 gsm	Touch Screen functions:Cover insert - Block mode1/2,1/3, 1/4 - Alternate cover	1/2,1/3, 1/4 - Alternate cover
Feeding device:	Suction feeding from the top of the stack AMS (Air Management System)		feed - Manual feed - Screen saver - Counter back up - Paper overlap - Bi- directional feeding - Reject function
Connecting devices	Alpha Saddle - DBM 500 - DBM 350 - DBM 120 - DSF 2000 - DC10/60Pro - DCR-ST - DBM400STR/L - DC12JR	* 105mm x 297mm when fitted wi ** 610mm length is possible when	1.1

Technical Specifications DBM-500Pro

Dimensions (L × W × H):	1610mm x 700mm x 1005mm	Corner/Side Stitching capacity:	30 sheets x 80gsm
Weight:	412 Kg	Programmes:	12 memory programs
Power Supply:	230 V, 50 Hz, 3,8 A	Stitch positions:	Saddle, Corner, Side, Fold only,
Min paper size:	120mm x 170 mm**		Corner and Fold.
Max paper size:	356mm(W) x 508mm(L)	Hohner stitching heads:	1-4 (2 standard) Hohner heads
Max speed:	Up to 5,000 A5 books/hr ***	Counters:	Total

** 105mm(W) x 297mm (L) when fitted with the 105mm kit supplied as standard with the system. *** Dependant upon paperweights and sizes

Other Features

LCD touch screen • Accepts sheet-by- sheet, and set- by- set jobs • Straight and flat book path • Easy paper jam clearance • Built in side and corner stitching tray • Automatic fold roller gap setting • External fold skew setting

Connecting devices	DC10/60Pro suction tower - DC10/60 BG suction tower DSF2000 Digital sheet feeder - DSF5000 Digital sheet feeder -	Optional attachments	Calendar Kit, 2 additional Hohner heads. Hohner Loop stitching heads. Hand feed unit.
	- DSF5000 Digital sheet feeder - DBM500TPro - DCR-ST Stacker		Hand feed unit.

Technical Specifications DBM-500TPro

Dimensions (L × W × H): Weight:	584 × 700 × 1094 mm 241 Kg	Min trimmed book size:	75mm (Spine- Foredge) x 120mm (Head to Foot)
Power supply:	230 V, 50 Hz, 3.3 A	Max Trimmed book size:	253mm (Spine to Foredge) x 356mm (Head to Foot)
Min Untrimmed book size:	85mm (Spine to Foredge) x 120mm (Head to Foot)	Trim Margin:	1- 25mm
Max untrimmed book size:254mm (Spine to Foredge) x356mm (Head to Foot)	Max Speed:	Up to 5,000 A5 books/hr	
	Trimming Mechanism:	Upper and Lower knives with	
Counters:	Total		shearing action

Other Features

Automatic gap setting of delivery belts • Easy trim skew adjustment • Waste bin full sensor • Trimmer on/off bypass • Safetyguard interlock sensors.

Connecting devices:	DKT-200 Trimmer Squareback	ASM 500
Options:	Kicker unit.	

Technical Specifications DBM400STR/L Stacker

Dimensions (L × W × H):	880 × 750 × 890 mm	Speed:	Up to 9,000 sets/hr*
Weight:	148 Kg	Max sheet size:	350 × 500 mm
Set up:	Automatic set up from control panel	Stack capacity:	430 mm
Min sheet size:	140 × 210 mm	* Dependant upon connected devices and number of bins in us	

Other Features

Automatic setting of all guide positions • 12 memory job programs • Straight/offset stacking • Jam sensors • Stack full sensor • Supplied with 2 stacking trolleys.

Technical Specifications

Technical Specifications DKT-200

Dimensions DKT-200 (W x D x H): 932mm x 800mm x 1196mm

Dimensions DKT-LS(W x D x H):	1,370mm x 385mm x 830mm	
Weight DKT-200:	472Kg	
Weight DKT-LS:	35Kg	
Power:	220/240V 50 Hz 4.1 Amps	
Noise Emissions:	76.4dB	
Power consumption:	640W	
Maximum Trim:	30mm	
Minimum Trim:	1mm	
Maximum book thickness:	5mm (48 sheets x 80gsm +	
	300gsm cover)	
Maximum book thickness with	2.4mm (22 sheets x 80 gsm) +	
6mm gutter cut:	300gsm cover	
Max Finished Book Size 1 Up:	354mm x 253mm (Spine to Fored	
Min Finished Book size 1 Up:	75mm x 120mm (Spine to Foredge	
Max Finished book size 2 Up:	174mm x 253mm(Spine to Foredo	
Min Finished book size 2 Up:	120mm x 75mm (Spine to Foredge	

* Depending upon Book thickness , Sheet size and Paper conditions ** 1 stitch only in the middle of each book

Technical specifications DCR-ST and DCR-BP bridge unit

-		-	
Dimensions Wx D x H :	DCR-ST 710mm x 680mm x 630mm DCR-BP 690mm x 530mm x 800mm	Speed:	Up to 4,000 A4 sets/hr (10) sheets Tray S Up to 3,000 A3 sets/hr (10) sheets Tray L
Weight:	DCR-ST 44Kg DCR-BP 14Kg	Max Stacking height:	200mm Tray S 100mm Tray L
Power supply:	220-240V 50/60Hz		
Paper Size:	Max 450mm (L) x 320mm (W) Min 148mm (L) x 210mm (W)		

Other Features

Stack full sensor • Straight/offset stacking • Supplied with 2 sizes of receiving trays • Connects to DC10/60Pro or In-line with System 5000Pro.

Duplo International Limited Sandown Industrial Park, Mill Road, Esher, Surrey KT10 8BL

Tel +44(0) 1372-468-131 - Fax +44(0) 1372-460-252 info@duplointernational.com - www.duplointernational.com



FULLY AUTOMATIC AND PRECISE PROFESSIONAL BOOKLETMAKING SYSTEM FOR OFFSET AND DIGITAL BOOK PRODUCTION.

> *Fully automated system *5,000 books /hour *Accurate and precise feeding system *From B3 or SRA3 to finished books in 1 operation

Min Finished book size 2 Up:	90mm x 75mm (Spine to Foredge) **
Speed:	Up to 4,500 A5 books/hr 40 page
	book x 80 gsm (10 flat sheets) *
	Up to 3,900 A4 books/hr 40 page
	book x 80 gsm (10 flat sheets)
	Up to 9,000 books/hr with 6mm
	gutter cut knives *
Programs:	12 from DBM500 touch screen
Trimming knives 2:	Fully automatic set up from
	DBM500 Touch screen
Counter	Total
Waste:	External collection box
Connectivity:	DC10/60Pro - DC10/60 BG -
	DBM500TPro - DBM500Pro -
	DBM400 STR/L - Stacker -
	DCR-ST Stacker - DSF5000.
Options:	Gutter cut knife 6mm(fixed)
	6.4mm Diameter 2 hole punch
	6.4mm Diameter 3 Hole punch
	Kicker /Batching unit.



Duplo is a trade mark of the Duplo Corporation. Duplo has a policy of continuous improvement and reserves the right to amend the above specifications without prior notice.

Production rates are based on optimal operating conditions and may vary depending upon stock and environmental conditions. As part of our continuous product improvement program, specifications are subject to change without



The fully automatic system 5000Pro offers precision and versatility over a wide range of book sizes. The heavy duty and highly productive system can deliver up to 9,000 booklets and 10,000 collated sets an hour. For both the Offset and Digital printer the feature packed System 5000Pro will turn any novice into a finishing expert



Superior feeding system with the DC10/60Pro

The high speed and accurate feeding of the DC10/60Pro suction collating towers, delivers superior performance and high productivity. Up to 60 bins can be connected.

The AMS feeding system ensures that paper stocks from 356mm(W) x 508mm(L) and weights up to 300gsm can be fed with ease.

High productivity is maintained at all times with faulty sets automatically diverted without stopping production. Faulty sets once corrected can be simply fed back into the DBM500Pro.

A built hand marry unit allows for pre-collated sets to be merged automatically with sets from the DC10/60Pro.

A fast and accurate double sheet and miss detection system, and a user friendly colour touch screen allows for each job to be set up within seconds.



The Duetto System

The Duetto bookletmaking and collating solution incorporates up to three DC10/60Pro collating towers, a DSF-2000 Dynamic sheet feeder, DBM-500Pro bookletmaker, DBM-500TPro trimmer and the DKT-200 Trimmer.

The Duetto system is the first of its kind to address both digital and offset printing requirements. The ability of the DBM-500Pro to handle set by set and sheet by sheet output with equal ease makes the system ideal for printers making the transition from offset to digital, allowing the incorporation of colour content and variable data into their finishing solutions.

Printers once had to purchase two separate finishing lines for either offset or digital. The Duetto is the first system to offer a combined offset and digital finishing solution.

Truly Automatic finishing

The System 5000Pro bookletmaker incorporates a fully automatic changeover from one job to the next within 60 seconds, making it the worlds easiest to use stitcher/folder/trimmer.


A Tooless Operation allows you to go from a 356mm(W) x 508mm(L) sheet size to a CD size book, without any additional parts or manual intervention. Even producing books as small as a 105 mm width only takes a few minutes to set up.

A user friendly touch screen panel provides complete control over all book parameters. Up to 4 Hohner stitching heads, side guides, back stops and front joggers, and even the fold roller gap and trimmer belt heights, and trim positions all move totally automatically within 60 seconds.

Easy changeover is achieved by diverting corner or side stitched jobs to a separate built in catch- tray. When completed the back stop assembly automatically lowers to allow for the production of saddle stitched books through the trimmer onto the long delivery stacker.

Up to 12 memories are provided for frequently used jobs, these can be simply recalled for effortless changeover.







3 knife trimming DKT-200 "Delivering the finished product"

The DKT-200 provides a scaleable and modular solution to the requirements of three knife trimming for saddle stitched and folded books. The 2 knife operation ensures high quality and accuracy is achieved. Larger sheets such as B3 or SRA3 can be loaded into the DC10/60Pro towers and collated, stitched, folded, 3 knife trimmed and holed punched in one complete operation. The modular approach of the trimmer ensures that all existing 5000 system users can simply add the DKT-200 to suit their individual requirements and budgets when required.


Setting up the knife positions is performed by a fully automatic process. The operator simply enters the job



DCR-ST Straight and offset stacker



DKT-200 Trimmer






parameters into the DBM-500Pro touch screen, leaving the DKT-200 to set up the finished book size within 60 secs. All jobs are stored in one of the available 12 memory positions, and simply accessed for future use. Production output is further increased with the optional gutter cut knives with two up books increasing productivity up 9,000 books per hour (depending upon book sizes and thickness). A heavy duty and robust trimming mechanism, provides for precision and accuracy.

To maintain production speeds finished books are delivered onto the ergonomically designed long conveyor with all paper waste easily and safely removed into an external hopper. The DKT-200 has been designed to connect to existing DBM 500 bookletmakers and DBM 500T trimmers as well as the DSF2000 and DSF5000 range of digital sheet feeders. A range of options including 2 and 3 hole punching tools are also made available to increase job flexibility and production output.

A Modular Approach

Duplo has designed print finishing systems with modular components, which communicate with one another. Changes between jobs, even between sheet-by-sheet and set-by-set input, is at the touch of a button. The modular system means printers can invest in equipment to meet current demands, and scale up the system as those demands change. Our newest module the DKT-200 provides an independent approach to trimming both the top and bottom of the book as well as removing the gutter or middle of the book for 2 up applications. This removes the need to pre-guillotine printed pages before collating, saving both time and money.



Fully Automatic set up of all book parameters

Accurate and reliable A.M.S. suction feed system

Easy to use colour touch screen

